

Intelligent Agents Study Guide

Artificial Intelligence

1 Intelligent Agents

1. Define agent.

Solution: An agent senses its environment through sensors and affects the environment through actuators.


2. Define environment in the context of (intelligent) agents.

Solution: The part of the universe whose state we care about when designing an agent – the part that affects what the agent perceives and what is affected by the agent's actions. An environment is typically represented as a set of states and a transition function, or result function, that specifies the result – next state – of executing an action in a state.

3. Define rational agent.

Solution: For each possible percept sequence, a rational agent should select an action that is expected to maximize its performance measure, given the evidence provided by the percept sequence and whatever built-in knowledge the agent has.

4. Draw a general block diagram of an agent and its environment.



2 Environments

1. Describe the PEAS model of task environments.

Solution:

- Performance measure
- Environment dynamics – what is the result of applying an action
- Actuators to modify the environment
- Sensors to perceive the environment

2. Describe the seven essential properties of task environments.

Solution:

- Fully vs. partially observable
- Single agent vs. multi-agent. Competitive vs. cooperative
- Deterministic vs. nondeterministic. Stochastic is a specific kind of nondeterminism in which we assign probabilities to outcomes
- Episodic vs. sequential
 - Episodic: current action independent of previous decisions and future decisions
 - Sequential: current action may affect all future actions
- Static vs. dynamic. Can the environment change while agent is deliberating?
- Discrete vs. continuous
- Known vs. unknown. Does the agent know the "physics" of the environment?

3. Describe the four basic kinds of agent programs.

Solution:

- Simple reflex agents choose actions based only on the current percept.
- Model-based reflex agents maintains a model of the environment and a sensor model. The environment model is typically a state transition model, built from a combination of prior knowledge and past percepts. A sensor model maps percepts to world states. Action selection is based on the current state estimation and the environment model.
- Goal-based agents maintain a current state description and a goal state description, selecting actions that should move the environment towards a goal state.
- Utility-based agents select actions to maximize an internal utility function that maps states to a “usefulness” value.

4. Discuss the relationships between goals, performance measures and utilities.

Solution: Goals are states in the environment that the agent tries to achieve, that is, tries to execute actions that coerce the environment into a goal state.

Performance measures also come from the environment but represent the cost or payoff of taking particular actions in particular states. There can be many paths to a goal state. The performance measure tells us which path is best.

A utility function represents the “desirability” of states from the agent’s perspective. If the utility function aligns with the performance measure, then the agent will be rational with respect to the external performance measure if it acts to maximize its expected utility. Utility functions allow the agent to prioritize goal attainment when there are multiple goals, and choose between goals when they are in conflict.

5. Describe the three main kinds of environment state representation and give an example of each.

Solution:

- Atomic, e.g., *InArad*, *InBucharest*.
- Factored, e.g., `rnbqkbnr/pp1ppppp/8/2p5/4P3/5N2/PPPP1PPP/RNBQKB1R b KQkq - 1 2` (This is a chess position in FEN notation.)
- Structured, e.g., $At(P_1, SFO)$